

# Rio Grande Southern R. R.

EDWARD T. JEFFERY, Receiver.

# EMPLOYE'S TIME TABLE

No. 21,

To take effect at 12:01 o'clock A. M., April 29, 1894.

## THIS TIME TABLE IS FOR THE GUIDANCE OF EMPLOYES ONLY

And is not intended for the Information of the Public, or as an Advertisement of any Train.

THE COMPANY RESERVES THE RIGHT TO VARY FROM IT AT PLEASURE.

Standard Time, 105th Meridian.

#### FIRST DISTRICT -- Ridgway, and Rico.

SOUTHWARD.				2			NORT		
2d CLASS.		1st CLASS.		WAY.	TIME TABLE No. 21.		1st CLASS.	2d CLASS.	OF CES,
			MIXED.	MILES	APRIL 29, 1894.	MILES FROM RICO.	6 MIXED.		CAR CAPACITY OF SIDINGS, WYES, WATER & COAL
			Lv. Daily Ex. Sun. P. M.	FROM	STATIONS AND SIDINGS.	FRO	Ar. Daily Ex. Sun.		CAR CA SIDIN
	81.497		3,35	ALC:	D‡ RIDGWAY Ds	66.2	11.30		Y O
WALLEY TO	· Teyro		f 3.50	5.2	5.2 HAGENS	61.0	f 11,15		x 11
	3 7 0 7		4.12	9.6	HILLSIDE SPUR	56.6	10.55		1
		4 12 1	s 4.32	13.3	DALLAS DIVIDE DV	52.9	s 10.40		Y !
	No.		f 4.41	16.1	LEOPARD CREEK	50,1	f 10.28		
100 M		C SUP	f 5.02	22.2	BROWN 4.4	44.0	f 10,00		0 8
		a lager	s 5.20	26.6	D PLACERVILLE Pv	39.6	s 9.40		Y
			f 5.29	29.1	*FALL CREEK	37.1	f 9.32		
		Mary 1	f 5.40	32.6	DEEP CREEK	33.6	f 9 20		
	100 mg 10		5.55 6.15	37.8	D VANCE JUNCTION Mi	28.4	9.05 9.00		Y
THE RESERVE	The same	250	f 6.31	41.0	AMES	25.2	f 848		0
	2 75 W	Sage of	f 6.50	45.0	OPHIR Hi	21.2	f 8.33		
	HUNCH!	TE COM	f 7.01	46.7	SAN BERNARDO	19.5	f 8.23		
		THE PARTY	f 7.13	49.1	TROUT LAKE	17.1	f 8.13		0 5
	South E	/see	s 7.30	52.6	LIZARD HEAD Ft	13.6	s 8.00		Y •
	27.36	A Part And	f 7.58	60.5	COKE OVENS	5.7	f 7.22		0 ;
	200,020		f 8.06	63.6	BURNS 2.6	2.6	f 7.10		
		TRES	8.15	66.2	D RICO Ro		7.00		Y 0
			P. M. Ar. Daily Ex. Sun.		(66 2)		A. M. Lv. Daily Ex. Sun		1

Water tanks are located one-quarter mile south of Hillside Spur, and two miles south of Deep Creek. No Train or Engine will leave Ridgway or Rico without special orders or clearance ticket.

#### EXPLANATION OF CHARACTERS.

\* Letters at right of station names indicate telegraph call. Figures under each district and train indicate mileage of district and time used by trains in passing over the same.

N-Day and Night Telegraph Offices. s-Regular Stop.

Y-Wye. B-Bulletins.

X-Turn Table. ●—Coal. f—Stop on Signals. □-Telegraph Box. Scales.
Standard Clock.

ning between Fall Creek and South Fork.

O-Water.

All trains will reduce speed to six miles per hour over high bridges, eight

All engines must blow the whistle and ring the bell frequently while run-

miles south of Ridgway, and at Haskell's spur; also while passing through the

town of Placerville. All second class and irregular trains will reduce speed to six miles per hour in yard limits at Vance Junction and Rico. All trains will re-

duce speed to eight miles per hour over bridges between San Benardo and Ames.

Solution States of States

#### SPECIAL RULES AND REGULATIONS. RIGHTS OF TRAINS-North-Bound Trains have absolute right of track over South-Bound Trains of the same or inferior class.

1. TRAIN WORK .- Trains must be made up systematically in station order, which order will be preserved in taking or leaving cars. In loading freight, it must, as far as practicable, be consolidated in full carloads, and occupy the least number of cars required, irrespective of other cars having to go empty in the same direction. Conductors must observe the above in loading local freight. Agents at way stations must hold small lots of freight to load on trains, instead of loading in cars at station. Agents at district terminals will transfer and consolidate the contents of lightly loaded cars. Not more than two engines must be coupled to one Passenger train. If more power is required trains must be divided.

2. SPEED OF TRAINS.-Trains must not exceed six miles per hour within the corporate limits of towns or cities, and all trains, when approaching stations where switch engines are employed, must be under full control, expecting to find main line blocked. No train will exceed schedule time on grades exceeding 100 feet per mile. Special passenger trains and light engines must not exceed the schedule time of first class trains, nor extra freight and work trains that of second-class trains.

3. Rio Grande Southern employes will be governed by General Rules and Regulations in effect on the Denver & Rio Grande Railroad. 4. AIR-BRAKES.—The air-hose, when not coupled between cars, must be coupled to dummy coupling provided for that purpose (See Question No. 1. Air-Brake Instructions.) Straight air will be used on Mixed and Freight Trains. Air-brakes must be tested on trains before leaving terminal stations, as required by Air-Brake Instructions. When double headers are run, the air must be coupled to both engines, and forward engineman must operate the air-brake,

Pushing Engines must always have air-brake coupled. 5. Passengers will not be carried on freight trains.

A. S. MELDRUM, Train Master.

W. D. LEE, Superintendent.

E. T. JEFFERY, Receiver.

#### SECOND DISTRICT -- Rico and Durango.

SOUTHWARD					·	NORTHWARD					4
2d CLASS.	1st CLASS.	WAS	TIME TABLE No. 21.	Noc	1st CLASS.		2d CLASS.			YES OAL	
	7 MIXED	MILES I RIDGWAY.	APRIL 29, 1894.		MILES M DURANGO.	8 MIXED					CAR CAPACITY OF SIDINGS, WYES, WATER & COAL.
	Lv. Daily Ex. Sun. A. M.	FROM	STATIONS AND SIDINGS		M FROM	Ar. Daily Ex. Sun. P. M.					CAR SIDI
	8 40	66,2	D RICO	Ro	95.9	3,30					Y 0 •
	8.56	70.2	MONTELORES 4.3		91.9	f 3.13		1 5 E STEE			22
	9.14	74.5	KINGS 5.7		87.6	f 2.55		# 126	PARTI	241/8	24
	9.37	80.2		Au	81.9	f 2.33	1				29
	9.51	83.6	RED ROCK		78.5	f 2,20	Part of		例。新山水		
	10,00	85.9	MULDOON 4.3		76.2	f 2.10	VI SAR		le e in		35
	10.18	90.2		Rđ	71.9	f 1,52					39
	10.42	96.3	STAPLETON 6.0		65.8	f 1.28		TO THE		医多性	40
	11.05 11.10	102.3		Dj	59.8	12.40					0 Y 97
	11.55	111.8		Ge	50.3	f11.55		30 K. S. A.	DELVAR	THE PARTY OF	Y 29
	12,15	115.6	MILLWOOD 6.5		46.5	s 11.35			<b>建华流</b>		41
	12.50 1.10	122.1	**产品的运送器等完全的现在分词的建筑是不完成的。	Mx	40.0	11.00					Y 0 45
	1,26	125.3	MENEFEE 7.6		36.8	f 10.40					18
	2,05	132,9	(MP 131) MESA 3.6	Ma	29.2	f 10.02	2000年 2000年			White the same of	35
	2,23	136.5	pix 4.7	15公司公司第15	25.6	f 9.45	3 A 1990		No.		19
	2.45	141.2		Ca	20.9	s 9.25		No.			33
	s 3,05	145.6		Hf	16.5	f 9.00			PARTIES I		0 44
	3.15	147.0	UTE JUNCTION		15.1	f 8.45			W.	THE NE	Y ● 37
	3,50	154.2	PINE RIDGE		7.9	f 8.10	i e si				34
	f 4,05	157,1	PORTER 5.0		5.0	f 7.55			10 m		Y0149
	4.35	162.1		Dg		7,30			Mary and	La y S	00 X 302
	P. M. Ar. Daily Ex. Sun.		95.9			A. M. Lv. Daily Ex. Sun.		oracio per			

(8.00)
No Train or Engine will leave Rico or Durango without special order or clearance ticket. All trains will leave a registering ticket in box at Ute Junction.
All trains and Engines must come to full stop before passing switch to Coke Ovens at Durango, and sharp look-out kept for Switch Engines in Durango yard.
Water Tanks are located at mile posts 78, 87 and 131. All trains must be under full control passing yard limit boards at Mancos and Porter.

#### TELLURIDE BRANCH.

SOUTHWARD.								NORTHWARD.				46.
2d CLASS.	1st Class.		VAY	TIME TABLE No. 21.		ORA	1st CLASS.		2d CLASS.		LY O	
	27 TELLURIDE MIXED.	25 TELLURIDE MIXED.	MILES FROM RIDGWA	APRIL 29, 1894.	No.	MILES M PAND	RIDGWAY MIXEO.	28 RIDGWAY MIXED.			CAR CAPACITY OF SIDINGS, WYES,	
		Lv. Daily Ex. Sun. P. M.	FRO		STATIONS AND SIDINGS.		FRO		Ar. Daily Ex. Sun. P. M.			CAR
	9.05	6.05	37.8	D	VANCE JUNCTION	Mi	9.6	8.50	5.50			Y
	9.25	6.25	41.7		KEYSTONE		5.7	8.30	5,30			
	9.30	6.30	43.7	103/8	SAN MIGUEL		3.7	8,25	5.25	5/5/19		
	9.40	6.40	45.1	D		00	2.3	8.20	5.20	6		0 0
			47.4		PANDORA	3			1000		E SE SE	
	A M. Ar. Daily Ex. Sun.	P. M. Ar. Daily Ex. Sun.			9,6			A. M. Lv. Daily Ex. Sun	P. M. Lv Daily Ex. Sun			
	(0.35)	(0.35)	5(17)5(1)		or clearance ticket.	100	See Fre	(0.30)	(0.30)	40.00		

### ADDITIONAL SPURS NOT SHOWN IN REGULAR TIME TABLES.

LOCAT	ION	NAMES	CAR CAPACITY	SWITCH CONNECTIONS	
DISTRICT	MILE	WAINES .			
First	3.0	JAY'S SPUR	4	North End	
	17.1	SAM'S SPUR	7		
10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	21.5	HASKELL'S SPUR	10		
	36.4	SOUTH FORK	35	South End	
	55.7	GALLAGHER'S SPUR	12	North End	
	64.7	WINKFIELD'S SPUR	4	*	
Telluride Br.	38.6	ILLIUM	22	Both Ends	
Second	82.8	RED ROCK SPUR	.10	North End	
"	103.4	LOST CANON	40	Both Ends	
	112.8	BARNES	15	South End	
"	113.3	COAL SPUR	5		
"	116.3	GRADENS'	21	"	
"	129.2	BRAYTON	23	North End	
	160.3	SHIELDS' SPUR	6	South End	
"	160.6	BELL'S SPUR	10	"	

#### REGISTERING STATIONS

В.	Ridgway	Mancos
	Placerville	B. Durango
В.	Vance Junct.	
В.	Telluride	
В.	Rico	
	The State of the S	THE RESERVE OF THE PARTY OF THE