

RIO GRANDE SOUTHERN RAILROAD.

EMPLOYES' TIME TABLE

No. 38.

To Take Effect at 12:01 O'clock a. m., April 15, 1902.

This Time Table Is for the Cuidance of Employes Only,

And is not intended for the Information of the Public, or as an Advertisement of any Train.

The Company reserves the right to vary from it at pleasure.

STANDARD TIME, 105th MERIDIAN.

HERALD PRINT, OURAY, GOLO.

FIRST DISTRICT..Ridgway and Rico.

SOUTHWARD.			A A TO	1 1 2	ATTERNATION OF THE ATT		NORTHWARD.				
20 CLAS	SS.	Ist Cl	ASS.	ROM AY.	TIME TABLE No. 38.	M RICO.	IST C	LASS.	2º CLASS.	TT C	
FREIGHT.		PASS'R	5 PASS'R	MILES FROM RIDGWAY.	APRIL 15, 1902.	MILES PROM	6 PASS'R	PASS'R		GHT. R GS. W. S. S. W. S	
lov. Daily except Sunday. A. M.		lov.Daily P. M.	Lv. Daily A. M.	MI	STATIONS AND SIDINGS	WILE	Ar. Daily P. M.	Arrive Daily A. M.	ex Sur	CAR CAPACITY OF SIDINGS, WYES, WATER & COAL.	
9.00		2.55	TOTAL S		D‡ X-C RIDGWAY Ds	66.2		11.15	4	.55 X 118	
f 9.20		f 3.08		5.2	X-5 HAGENS	61.0		f 11.02	f 4	.35 33	
f 9.48		f 3.30		9.7	X/O VALLEY VIEW	56.6	- B	f 10.45	f 4	.10 11	
10.20		s 3.50	-	13.3	DALLAS DIVIDE BX	52.9	-1 :0/	s 10.30	3	50 40 Y 52	
f 10.45		f 3.58		16.1	X-/6 LEOPARD CREEK	50.1		f 10.19		.10 12	
f 11.15		f 4.20		22.2	X-7.5 BROWN	44.0	T I W	f 9.52	f g	.15 0 25	
s 11.40		s 4.35		26.6	D X-27 PLACERVILLE PV	39.6		s 9.35	s 1	.50 Y 42	
f 11.53		f 4.43	Man in the	29.1	X-2 9 FALL CREEK	37.1	F. F. S	f 9.27	f 1	.38 28	
f 12.00		f 4.46		30.2	X-30 SAW PIT	36.0	Ell's	f 9.23	f 1	.33 7	
f 12.12		f 4.55		32.6	X-33 WILSON	33.6		f 9.15	f 1	.22 27	
12.40		5.10 5.20	8.15	37.8	D X 38 VANCE JUNCTION MI	28.4	4.35	9.00 8.50	1, 12	00 Y 30 75	
f 1.30		f 5.36	f 8.38	41.3	© (Bridge 43 A) X-44 AMES Bx	24.9	t 4.23	18.38	f 19	.12 0 9	
s 2.05		s 5.55	s 8.57	45.0	D X-45 OPHIR Hi	21.2	s 4.08	s 8.23	s 11	.52 19	
f 2.23		f 6.05	f 9.07	46.7	X 47 SAN BERNARDO	19.5	f 3.58	f 8.13	f 11	.40 22	
f 2.42		f 6.17	f 9.19	49.1	X 4 9 TROUT LAKE BX	17.1	f 3.48	f 8.03	f 11	.27 0 28	
3.10 3.35		s 6.35	s 9.37	52.6	D X 53 LIZARD HEAD Hd	13.6	s 3.35	s 7.50		.10 .00 Y 28	
f 4.20	OF STATE	f 7.01	f10.03	60.5	(Mp 55) X 60 COKE OVENS Bx	5.7	f 3.05	f 7.20	f 10	.03 0 24	
f 4.35		f 7.11	f 10.12	63.6	• X 6 V BURNS	2.6	f 2.55	f 7.10	f g	.43 31	
4.50		7.20	10.22	66.2	D X 6 6 RICO Ro		2.45	7.00	9	.25 Y 0 0 144	
P. M. Ar. Daily Ex. Sun.	1150	P. M. Arrive Daily.	A. M. Arrive Daily		(66.2)		P. M. beave Daily	A. M. Leave Daily	exc		
(7.50) Water tanks are loca No Train or Engine				hout speci	al orders or clearance ticket.	aI	(1.50)	(4.15)	L. Mariella	30)	

SPECIAL RULES AND REGULATIONS.

RICHTS OF TRAINS-North-Bound Trains have absolute right of track over South-Bound Trains of the same or inferior class.

- 1. TRAIN WORK.—Trains must be made up systematically in station order, which order will be preserved in taking or leaving cars. In loading freight, it must as far as practicable, be consolidated in full carloads and occupy the least number of cars required, irrespective of other cars having to go empty in the same direction. Conductors must observe the above in loading local freight. Agents at way stations must hold small lots of freight to load on trains, instead of loading in cars at station. Agents at terminals will transfer and consolidate the contents of lightly loaded cars. Not more than two engines must be coupled to one passenger train. If more power is required, trains must be divided.
- 2. SPEED OF TRAINS.—Trains must not exceed six miles per hour within the corporate limits of towns or cities, and all trains, when approaching stations where switch engines are employed, must be under full control, expecting to find main line blocked. No train will exceed schedule time on grades exceeding 100 feet per mile. Special passenger trains and light engines must not exceed the schedule time of first-class trains, nor extra freight and work trains that of second-class trains.

All trains will reduce speed to six miles per hour over high bridges, eight miles south of Ridgway, and at Haskell's spur: also while passing through the town of Placerville. All second-class and irregular trains will reduce speed to six miles per hour in yard limits at Vance Junction and Rico. All trains will reduce speed to eight miles per hour over bridges between San Bernardo and Ames, and over bridge 37 B near South Fork.

- Rio Grande Southern employes will be governed by General Rules and Regulations in effect on the Denver and Rio Grande Railroad.
- 4. AIR BRAKES.—The air-hose, when not coupled between cars, must be coupled to dummy coupling provided for that purpose. (See Question No. 1, Air-Brake Instructions.) Straight air will be used on Mixed and Freight Trains. Air-Brakes must be tested on trains before leaving terminal stations, as required by Air-Brake Instructions. When double-headers are run, the air must be coupled to both engines, and forward engineman must operate the air-brake. Pushing engines must always have air-brake coupled.
 - 5. Passengers will not be carried on freight trains.

A. S. MELDRUM.

Train-master.

W. D. LEE,

Superintendent.

J. M. HERBERT.

RUSSELL HARDING,

E. T. JEFFERY,

Managan

Vice-Pres. and Gen'l Mgr.

President.

SECOND DISTRICT -- Rico and Durango.

SOUTHWARD.				TIME TABLE No. 38.			NORTHWARD.					OF ES, AL.			
3d CLASS	20 CLASS	IST C	LASS	FROM VAY.			PRIL 15, 1902.	30.	ROM GO.	IST C	LASS.	20 CL	ASS.	3d CLASS	CITY WY CO
B. C. & F. Lv.Daily Ex. Sun. P. M.	FREIGHT Lv.Daily Ex. Sun. A. M.		PASS'R Lv. Daily A. M.	MILES FROM RIDGWAY.		the flags of the	ONS AND SIDIN	GS	MILES FROM DURANGO.	Ar. Daily P. M.		FREIGHT Ar. Daily Ex. Sun. P. M.		20 B. C. & F. Ar. Daily Ex. Sun. A. M.	CAR CAPACITY OF SIDINGS, WYES, WATHR & COAL
	8.15		10.30	66.2	D	x66	RICO 4.0	Ro	95.9	2.35	The	4.10			Y 0 1
	f 8.32	ATP	f 10.41	70.2	TO	X71	MONTELORES	TON B	91.9	f 2.24	MOF	t 3.45	A		
100	f 8.50		f 10.51	74.5		X 75	4.3 KINGS		87.6	f 2.12		f 3.20			
Section 1	f 9.13		f.11.07	80.2	0	X 80	BEAR CREEK	Bx	81.9	f 1.56		f 2.50	PE PO		
300	1 9.37	ENT .	f 11.24	85.9		x 86	MULDOON		76.2	f 1.41	B 1757	f 2.20			
	f 9.55	(H)(0)(0)(1)	f 11.36	90.2	0	X 90	RAYMOND	Bx	71.9	f 1.28	I TO	f 1.57	100		
	f 10.20	COUNTY	f 11.50	96.3		X 96	STAPLETON		65.8	f 1.14	1100	f 1.32			7
A del	10.55	HODE -	¶12.05 12.30	102.3	D	X104	6.0 DOLORES	Dj	59.8	1.00	My and	1 1.05 12 30			0
	f 11.00	AFTICES O	f12.35	103.4		X 105	LOST CANON		58.7	112.35		f 12.22			
	11.50	Source	f 1.00	111.8	0	X112	GLENCOE 3.8	Bx	50.3	f 12.12		f 11.50		18716	Y
	s 12.32	BASSE	f 1.10	115.6		X 116	MILLWOOD		46.5	f 12.02		s 11.30	WEE.		
	1.12	North	s 1.30	122.5	D	X123	MANCOS	Mx	39.6	s 11.42	1	10.55			Yo
- 1	1 1.40	annual .	f 140	125.3		X126	MENEFEE 7.6		36.8	f 11.30		f 10.37			
No.	f 2.25	North.	1 2.06	132.9	O MP	131) X/33	MESA 3.6	Bx	29.2	f 11.08		f 10.02			
	f 2.48		f. 2.18	136.5		X137	DIX 4.7		25.6	f 10.56	7	f 9.45			
	s 3.15	19met	f 2.35.	141.2	0	4141	CIMA	Bx	20.9	f 10.41		s 9.25			
216	s 3.40		8 2.49	145.6	D	X/46	HESPERUS	Hf	16.5	8 10.27		s 9.00			0
	s 3.55	Neces	f 2.55	147.0	*	X/48	UTE JUNCTION		15.1	f.10.20	Line	s 8.45			Y
	f 4.25		f 3.15	154.2		X154	PINE RIDGE		7.9	f 9.59		t 8.05			
100 m	s 4.45	Books	f 3.25	157.1		X157	PORTER 5.0		5.0	f 9.52		s 7.45	131.13	Pales	Yol
4.30	s 5.00	8040	f 3.31	159.3		×159	FRANKLIN	112	2.8	f 9.43		s 7.15		7.30	
4.50	5.20		3.45	162.1	D‡	X/63	DURĂNGO	Dg		9.35		7.00	ER.	7.10	30
P. M. r. Daily x. Sun.	P. M. Ar. Daily Ex. Sun.	and the second second	P. M. Ar. Daily			RACTER	95.9	EXPLANA	Design on the	A. M.		A. M. bv. Daily Ex. Sun		A. M. Lv. Daily Ex. Sun.	

(0.20) (9.05) (5.15) (5.16) (9.10)

NoTrain or Engine will leave Rico or Durango without special order or clearance ticket. All trains will leave a registering ticket in boxes at Ute Junction and Franklin.

All Trains and Engines must come to full stop before passing switch to Coke Ovens at Durango, and sharp look-out kept for Switch Engines in Durango yard.

Water Tanks are located at mile posts 78, 87 and 131. All trains must be under full control passing yard limit boards at Mancos and Porter.

TELLURIDE BRANCH.

SOUTHWARD. IST CLASS.	FROM WAY.	TIME TABLE No. 38.	SA.		RTHWARD. st CLASS.	AR CAPACITY OF SIDINGS, WYES, WATER & COAL.
PASS'R PASS'R PAS		APRIL 15, 1902.		26 28 SS'R PASS'R	30 PASS'R	APACIT NGS, TER &
lev.Daily A. M. lev. Daily P. M. P.		STATIONS AND SIDINGS	Ar.	Daily Ar. Daily M. A. M.	Ar. Daily P. M.	CAR C SIDI WAT
9.00 5.20 4	35 37.8 D	X.38 VANCE JUNCTION MI	9.6	8.15 8.45	4.55	75
4.	7 38.6	ANDERSON 3.1	8.8		4.47	22 Y
f 9.20 f 5.40 f 5	08 41.7	OU X KEYSTONE	5.7 f	7.55 f 8.25	4.35	10
f 9.25 f 5.45 f 5	08 43.7	Odl & SAN MIGUEL	3.7 f	7.50 f 8.20	4.30	25
9.30 5.50 5	45.1 D	OU. TELLURIDE Do	2.3	7.45 8.15	4.25	● O Y § 109
A. M. Ar. Daily P. M. P. Ar. Daily, Ar. D		7.3		M. A. M. Daily. Lv.Daily	P. M. Lv. Daily	
(0.30) (0.30) (0.40) No Train or Engine will leave Telluride without	O)	earance ticket	(0	.30) (0.30)	(0.30)	

ADDITIONAL SPURS NOT SHOWN IN REGULAR TIME TABLES

LOCA	TION			SWITCH	
DISTRICT	MILE	NAMES	CAR CAPACITY	CONNECTIONS	
First	3.0	JAY'S	7.	North End	
	17.1	SAM'S	10	South End	
05540	21.5	HASKELL	10.	North End	
"	34.8	KOEN	3.	South End	
	35.3	LIME	3.		
	36.4	SOUTH FORK	35.	South End	
"	43.9	BUTTERFLY	15.	South End	
***	53.8	RICE'S	4.	North End	
82.5 "	54.5	SNOW	4.	North End.	
"	55.7	GALLAGHER	12.	North End	
	59.3	LONG	5.	South End	
0000	64.7	WINKFIELD	8.	North End	
Celluride Br.	38.2	ILLIUM	5.	North End	
Birtial	47.4	PANDORA	36.		
Second	100.3	RUST'S	14.	North End	
"	113.7	FIELDS	4.	"	
"	116.3	GRADEN	15.	South End	
00,74	124.5	BUCKLEY	4.	North End	
**	129.2	BRAYTON	7.	" ====	
"	145.9	CUNNINGHAM	14.	South End	
"	148.8	FT. LEWIS	7.	South End	
"	160.6	BELL'S	37.	South End	

EXPLANATION OF CHARACTERS.

As Letters at right of station names indicate telegraph call. Figures under each district and train indicate mileage of district and time used by trains in passing over the same.

N—Day and Night Telegraph Offices. s—Regular Stop. Y—Wye. B—Bulletins.

X—Turn Table.

• Coal.

f—Stop on Signals.

U—Telegraph Box. S—Scales. T—Standard Clock.

O—Water. ¶—Stop for Meals. D—Day (only) Telegraph Offices.

REGISTERING STATIONS

B. Ridgway Placerville B. Vance Junction

Mancos B. Durango

B. Telluride

B. Rico

Dolores